

# BADU<sup>®</sup> 43/26



Medium-size jet pump and additional pump.  
For whirlpools and added support in water circuits.

## Details

Connection: 230V, 400V  
Flow rate Q in m<sup>3</sup>/h: 24  
Motor performance in kW (P2): 1,50  
Pool size in m<sup>3</sup>: 90 - 120  
Total head H in m WS: 8, 8

## Materials used

Diffuser: PP GF 30, PP GF 30  
Gland housing: PP GF 30  
Impeller: PP GF 30  
Intermediate housing: PP GF 30  
Mechanical seal: carbon / ceramic / NBR  
Pump casing: PP TV 20 / GF 10  
Screws: Stahl, verzinkt

## Field of application

The BADU 43 pump series with its flow rate from 15 m<sup>3</sup>/h to 32 m<sup>3</sup>/h are the perfect jets and filter pumps for whirlpools.

## Design

Monoblock-type pump with a closed bellows-type mechanical seal mounted on a plastic shaft protector sleeve. Motor/pump shaft has no contact with the pool water! Complete electrical separation.

## Motors

Special motors on request.

## Miscellaneous

The above mentioned pumps can be used for pool water with a salt concentration of up to 0.5%, i.e. 5 g/l.

For higher salt concentrations please contact the company SPECK Pumpen.

## Downloads

- [Spare parts list](#)
- [Catalogue page](#)
- [Characteristics](#)
- [EC declaration of conformity](#)
- [Dimensional drawing](#)